

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/941,939	08/30/2001	Norbert Schipke	A-7591.RNFMP/cat	6337
20741	7590 01/30/2002 WASSON & GITLER	EXAMINER		
	RSON DAVIS HIGHWAY		NGUYEN, HANH N	
	ARLINGTON, VA 22202 ART UNIT		PAPER NUMBER	
			2834	
			DATE MAILED: 01/30/2003	2

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	_
٠.	-	09/941,939	NORBERT SCHIPKE	
	Office Action Summary	Examiner	Art Unit	
	•	HANH NGUYEN	2834	
	The MAILING DATE of this communication a	appears on the cover sheet	with the correspondence address	
ri od for A SHO THE M	REPLY RTENED STATUTORY PERIOD FOR RE AILING DATE OF THIS COMMUNICATIO	PLY IS SET TO EXPIRE <u>3</u> N. 1.136(a). In no event, however, may	MONTH(S) FROM a reply be timely filed	
- Extensi after SI - If the p - If NO p - Failure	ions of time may be available under the provisors of the X (6) MONTHS from the mailing date of this communication. IX (6) MONTHS from the mailing date of this communication eriod for reply specified above is less than thirty (30) days, a period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by stiply received by the Office later than three months after the maximum adjustment. See 37 CFR 1.704(b).	reply within the statutory minimum of iod will apply and will expire SIX (6) N	IONTHS from the mailing date of this communication	on.
1)	Responsive to communication(s) filed on	·		
2a)□	ეხ\⊠	This action is non-tinal.	the set to the marite	e ie
3)□	Since this application is in condition for all closed in accordance with the practice un	lowance except for formal der <i>Ex parte Quayle</i> , 1935	matters, prosecution as to the ments C.D. 11, 453 O.G. 213.	5 15
)ispositi	on of Claims			
1157	Claim(s) 1-11 is/are pending in the applic	ation.		
,	4a) Of the above claim(s) is/are with	ndrawn from consideration	•	
5)	Claim(s) is/are allowed.			
6)⊠	to the state of th			
- √-	Claim(s) is/are objected to.			
8)	Claim(s) are subject to restriction a	and/or election requiremen	l .	
Annlicat	ion Papers			
	in the Exa	miner.	huthe Everiner	
10)□	ic/are: a)	accepted of b) Objected it	by the Examiner.	
11)[The proposed drawing correction filed on	is: a) approved b) Cloabbio is a s	
	If approved, corrected drawings are require	a in reply to this Office dollars		
	The oath or declaration is objected to by	ne Examiliei.		
	a a cc 440 and 120		s.c. 8 119(a)-(d) or (f).	
13)区	Acknowledgment is made of a claim for	foreign priority under 35 U	10.0. 2 1 10/m/ (m) and (n)	
, ;	None of:			
		uments have been receive	u. od in Application NO.	
	doc	uments have been receive	ili Application (10)	je
	3. Copies of the certified copies of the application from the Internation	ne priority documents have onal Bureau (PCT Rule 17.	2(a)). es not received.	
		domestic priority under 30	0.0.0.	lication
14)[Acknowledgment is made of a claim for a) ☐ The translation of the foreign language.	age provisional application	has been received.	
1	Acknowledgment is made of a claim for	domestic proving		
Attachr		4) 🔲 1	nterview Summary (PTO-413) Paper No(s).	
	Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTC nformation Disclosure Statement(s) (PTO-1449) Pap)-948) 5) 🔲 1	Notice of Informal Patent Application (P10-15	12)

Art Unit: 2834

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 1. Claim 1 is rejected under 35 U.S.C. 102(a) as being anticipated by Satoh et al.

Regarding claim 1, Satoh et al. show a vibrator for use in devices for vibration therapy (intended use, patentable weight not given) having an electric motor (18 in Fig. 3) and an unbalanced mass (57) which is driven peripherally by it, wherein the electric motor is an external-rotor motor with an outer housing (43) which is driven peripherally around a motor axis and with an inner stator (40) which has a motor winding (46), and wherein the outer housing has the unbalanced mass.

2. Claim 6 is rejected under 35 U.S.C 102(b) as being anticipated by Cheng.

Regarding claim 6, Cheng shows a device for vibration therapy comprising at least one vibrator (22 in Fig. 2) with an electric motor (222) and with an unbalanced

Art Unit: 2834

mass driven peripherally by it, wherein the device is mounted on an outer surface of a bathtub (Fig. 4).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. Claims 2,3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Satoh et al. in view of Spurlin.

Regarding claim 2, Satoh et al. show all of the limitations of the claimed invention except showing the vibrator wherein the electric motor is attached to a vibrator plate such that the motor axis includes an angle less than 90° with surface sides of the vibrator plate. The vibrator disclosed by Satoh et al. has the electric motor attached to a vibrator plate (9 in Fig. 4) such that the motor axis forms an 90° angle with surface sides of the vibrator plate, inherently the motor only causes vibration in the vibrator plate in one direction.

However, Spurlin shows the vibrator wherein the electric motor is attached to a vibrator plate such that the motor axis includes an angle less than 90° with surface

Art Unit: 2834

sides of the vibrator plate (1 in Fig. 1) for the purpose to create vibration on both horizontal and vertical direction (Col. 2, lines 65-68).

Since Satoh et al. and Spurlin are in the same field of endeavor, the purpose disclosed by one inventor would have been recognized in the pertinent art of the other.

It would have been obvious at the time of the invention was made to a person having an ordinary skill in the art to form the vibrator wherein the electric motor is attached to a vibrator plate such that the motor axis includes an angle less than 90° with surface sides of the vibrator plate as taught by Spurlin for the purposes discussed above.

Regarding claim 3, Spurlin also shows the vibrator as wherein the electric motor is held in a cover (5 in Fig. 1) which is connected to the vibrator plate for the purpose to carry the vibration from the motor to the vibrator plate.

4. Claims 4,5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fukuoka in view of Satoh et al.

Regarding claim 4, Fukuoka shows a device for vibration therapy (intended use, patentable weight not given), comprising at least one vibrator (portion includes motor 7 and frame 12 in Fig. 1) which is provided on a backrest element (3) and which has an electric motor (7) which has an unbalanced mass (16). The vibration device disclosed by Fukuoka comprised an electric motor wherein the shaft carries an unbalanced weight for the purpose to generate vibration.

However, Satoh et al. disclose the vibrator wherein the electric motor is an external-rotor motor with an outer housing (43 in Fig. 3) which is driven peripherally

Art Unit: 2834

around a motor axis and with an inner stator (40) which has the motor winding (46), and wherein the outer housing has the unbalanced mass (57) for the purpose to generate vibration.

Since Fukuoka and Satoh et al. are in the same field of endeavor, the purpose disclosed by one inventor would have been recognized in the pertinent art of the other.

It would have been obvious at the time of the invention was made to a person having an ordinary skill in the art to form the vibrator wherein the electric motor is either a motor with an unbalanced weight carried by the shaft or an external-rotor motor with an outer housing which is driven peripherally around a motor axis and with an inner stator which has the motor winding, and wherein the outer housing has the unbalanced mass as taught by Satoh et al. for the purposes discussed above.

Regarding claim 5, Fukuoka also shows the device wherein the at least one vibrator has a vibrator plate (12 in Fig. 9) attached directly to the back element of a backrest, and wherein the back element has upholstery (2) attached thereto.

Claims 10,11are rejected under 35 U.S.C. 103(a) as being unpatentable over 5. Fukuoka in view of Satoh et al. as respectively applied to claim 5 above, and further in view of Spurlin.

Regarding claim 10, Fukuoka and Sato et al. show all of the limitations of the claimed invention except showing the device wherein the electric motor is attached to a vibrator plate such that the motor axis includes an angle less than 90° with the surface sides of the vibrator plate. The vibrator disclosed by Fukuoka and Sato et al. has motor

Art Unit: 2834

axis parallel to the surface sides of vibrating plate and inherently cause vibration in vertical direction.

However, Spurlin shows the vibrator wherein the electric motor is attached to a vibrator plate such that the motor axis includes an angle less than 90° with surface sides of the vibrator plate (1 in Fig. 1) for the purpose to create vibration on both horizontal and vertical direction (Col. 2, lines 65-68).

Since Fukuoka, Satoh et al., and Spurlin are in the same field of endeavor, the purpose disclosed by one inventor would have been recognized in the pertinent art of the other.

It would have been obvious at the time of the invention was made to a person having an ordinary skill in the art to form the device wherein the electric motor is attached to a vibrator plate such that the motor axis includes an angle less than 90° with surface sides of the vibrator plate as taught by Spurlin for the purposes discussed above.

Regarding claim 11, Spurlin also shows the vibrator as wherein the electric motor is held in a cover (5 in Fig. 1) which is connected to the vibrator plate for the purpose to carry the vibration from the motor to the vibrator plate.

6. Claim 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cheng in view of Satoh et al.

Regarding claim 7, Cheng shows all of the limitations of the claimed invention except showing the device wherein the electric motor is made as an external-rotor motor with an outer housing which is driven peripherally around a motor axis and with

Art Unit: 2834

an inner stator which has a motor winding, and wherein the outer housing has the unbalanced mass. The motor by Cheng comprised an electric motor wherein the shaft carries an unbalanced weight for the purpose to generate vibration.

However, Satoh et al. diclose the vibrator wherein the electric motor is an external-rotor motor with an outer housing (43 in Fig. 3) which is driven peripherally around a motor axis and with an inner stator (40) which has the motor winding (46), and wherein the outer housing has the unbalanced mass (57) for the purpose to generate vibration.

Since Satoh et al. and Cheng are in the same field of endeavor, the purpose disclosed by one inventor would have been recognized in the pertinent art of the other.

It would have been obvious at the time of the invention was made to a person having an ordinary skill in the art to form the vibrator wherein the electric motor is either a motor with an unbalanced weight carried by the shaft or an external-rotor motor with an outer housing which is driven peripherally around a motor axis and with an inner stator which has the motor winding, and wherein the outer housing has the unbalanced mass as taught by Satoh et al. for the purposes discussed above.

7. Claims 8,9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cheng in view of Spurlin.

Regarding claim 8, Cheng shows all of the limitations of the claimed invention except showing the vibrator wherein the electric motor is attached to a vibrator plate such that the motor axis includes an angle less than 90° with surface sides of the vibrator plate. The vibrator disclosed by Satoh et al. has the electric motor attached to a

Art Unit: 2834

vibrator plate (9 in Fig. 4) such that the motor axis forms an 90° angle with surface sides of the vibrator plate, inherently the motor only causes vibration in the vibrator plate in one direction.

Page 8

However, Spurlin shows the vibrator wherein the electric motor is attached to a vibrator plate such that the motor axis includes an angle less than 90° with surface sides of the vibrator plate (1 in Fig. 1) for the purpose to create vibration on both horizontal and vertical direction (Col. 2, lines 65-68).

Since Cheng and Spurlin are in the same field of endeavor, the purpose disclosed by one inventor would have been recognized in the pertinent art of the other.

It would have been obvious at the time of the invention was made to a person having an ordinary skill in the art to form the vibrator wherein the electric motor is attached to a vibrator plate such that the motor axis includes an angle less than 90° with surface sides of the vibrator plate as taught by Spurlin for the purposes discussed above.

Regarding claim 9, Cheng also shows the device wherein the electric motor is held in a cover which is connected to the vibrator plate (the box that covers the motor in Fig. 2).

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hanh N Nguyen whose telephone number is (703) 305-3466. The examiner can normally be reached on Monday through Friday.

Art Unit: 2834

If attempts to reach the examiner by telephone are unsuccessful, the examiner 's supervisor, Nestor Ramirez can be reached on (703) 308-1371. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-3431 for regular communications and (703) 305-3431 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1782.

HNN

January 21, 2002